

PolyE 3100T	Gloss					Availabl from sto
Media Type	Label	✓		Polyethylene	~	on ZipSh
	Receipt			Polyolefin		
	Tag		Film Type	Polypropylene		
	Wristband			Polyester		
Material Type	Paper			Polyimide		
	Synthetic	~		Cold Temperature	~	_
Printing Technology	Direct Thermal (no Ribbon Required)			Deep Freeze		
	Thermal Transfer	1	Properties	High Temperature		
	(Ribbon Required)		·	Ultra High		
Adhesive Type	Permanent	✓		Temperature		
	Removable			High Tack		
	No Adhesive			Chemical Resistance	-	
Finish	Matte		Environment	Indoor	~	
	Gloss	✓	Environment	Outdoor	✓	

Additional Features

- Low cost, topcoated gloss polyethylene label
- Good adhesion on a variety of substrates
- Good flexibility and conformability for labelling curved surfaces
- Pure polyethylene facestock means it is environmentally-friendly and recyclable
- Good tear and water resistance properties
- Adhesive complies with European food regulation EC 1935/2004, EU 10/2011 and BfR Recommendation XIV for direct contact with dry, moist and such kind of fatty foodstuffs which have a reduction factor of at least 3
- Adhesive complies with FDA 175.105 for direct contact with dry foodstuffs, or alternatively separated by a functional barrier

Suggested Applications

- Labelling of HDPE bottles and cans e.g. toiletries and food packaging
- Work in progress labels
- Pallet labelling suitable for recycling with shrink-wrap
- Cost effective outdoor labelling for plants, garden and DIY products (approx. 9 months)
- Medium-life product and box labelling
- Shelf-edge labelling
- Gloss materials are not suitable for fanfold applications



Technical Specifications

	Description		Caliper
Facestock	Gloss white topcoated polyethylene film	82 microns	
Adhesive	Permanent acrylic adhesive		19 microns
Liner	61gsm glassine liner		54 microns
		Total	155 microns ±10%

Recommended Zebra Printers:	Desktop, mid-range and high-performance thermal printers
Recommended Zebra Ribbons:	3200, 4800, 5095
Minimum Application Temperature: When the label is applied, the environment and surface should be above this temperature	5°C
Service Temperature Range: Following correct application and appropriate dwell time (usually 24hrs) the media will withstand this temperature range	-20°C to 80°C
Recommended Storage Conditions: Storage of product before use	1 year duration when stored at 20°C to 25°C at 40 to 50% RH
Expected Life Span in Application: Following correct application and appropriate dwell time (usually 24hrs) we expect, but do not warrant, a life span as indicated	Indoor use, 1 year+ Outdoor use, up to 1 year

Product Performance and Suitability

The information contained in this document is to be used for guidance only and is not intended for use in setting specifications. All purchasers of Zebra products shall be solely responsible for independently determining if the product conforms to all requirements of their unique application.

For testing of this material, please order from the ZipShip price list or order sample roll SAMPLE22700 for mid-range and industrial printers or SAMPLE22700-D for desktop printers.