

ET51 ET56

EMC Configuration and Accessories Guide

Designed to assist customers and partners with model and configuration guidance







Accessory Ecosystem





Introducing the ShareCradle System: Terminal & Terminal Spare Battery "Cups" designed to be shared across the suite of Charge Only bases providing flexible & future proofed solutions.





- ShareCradic can accept ETSX Tablets with Expansion Backs
- ShareCradle also accepts ET5x Tablets with Expansion Backs



Required Charging / Dock Solutions





CRD-ET5X-1SCG1

ET5X 1-Slot Charge Only Dock

- Supports Charging with and without Rugged Frames
- Shim allows charging without a Rugged Frame, will only work with exposed consumer connector

Note: Requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord sold separately



CHG-ET5X-CBL1-01

Rugged Charge Connector (Charge dongle)

- Rugged charge cable breaks away to prevent tablet damage
- DC barrel input on the side

Note: Requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord sold separately **Charge / Communication 1-Slot Dock**



CRD-ET5X-1SCOM1

ET5X 1-Slot Charge and Communication Dock

- Charges and extends I/O for: HDMI, Ethernet & 3 USB 3.0 ports
- Shim allows charging without Rugged Frame, will only work with exposed consumer connector

Note: Requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord sold separately



CRD-ET5X-1SCOM1R

1-Slot Dock with Rugged IO Adapter

- Charges & extends Rugged I/O for HDMI, Ethernet, 3 USB 3.0 Ports
- Only works with Rugged Frame with Rugged IO Connector

Note: Requires power supply PWR-BGA12V50W0WW & CBL-DC-388A1-01 & country specific AC Line Cord sold separately

- Can be used with Expansion Back on the Tablet.
- One of these four solutions or a ShareCradle is required for tablet charging.





8" & 10" Rugged Frames





SG-ET5X-8RCSE2-02

10" Rugged Frame with Rugged IO (Included)

SG-ET5X-10RCSE2-01

- Improves drop protection to 6 ft / 2 m to concrete
- Sealed I/O connector replaces bottom dust cover
- Screw points on back to attach hand and shoulder
- Will work with Expansion Backs





Expansion Backs and Auxiliary PowerPack





Note: ET50 / ET55 internal batteries are *NOT COMPATIBLE* with the new ET51 / ET56 Tablets.





3rd party designed, sold and serviced. Zebra does not sell / not formally tested.

GJ Rugged Mounting Cradles



- Designed by Gamber Johnson to support rugged mounting needs such use on a fork lift; Offered through Gamber Johnson and their reseller network, not Zebra catalog part, Listing can be found at: <u>https://www.gamberjohnson.com/products/docking-stationscradles#manufacturer-127=680</u>
- Port replications for Ethernet RJ45, USB, HDMI, and power input
- Key lockable, VESA 75mm mounting pattern, clamps secure the tablet
- Will only work with rugged frame tablets, compatible with accessories like expansion back with scanner and optional power pack battery
- Keyboard mount offered to support iKey keyboards

ProClip Mounting Cradles



• The mounting cradle is designed by ProClip and are offered through ProClip / Brodit channels and their reseller network, not a Zebra catalog part, listing can be found at:

http://www.proclipusa.com/tablet-holders/device/zebra.cmsv

- Charge and mount options available
- Key lock option supported
- Rugged frame and non-rugged frame tablets options are available
- 8" and 10" versions